

febo
news 2015



IRILUX[®]
DAL 1962

MAGAZZINI
illuminazione 1964

febo

OLIMPIA
AURA
BOLLE
HABILLÉ
KLAQ
SAHARA
OMBRE
BREZZA
SK
A-LIVE
TELED
PANDORA
FLORA
SIBILLA



OLIMPIA




OLIMPIA/T
Foto 1



Foto 5

OLIMPIA/S
diam. cm. 50 h. max cm.140 h. min. cm 50
regolabile
3xE27 Max 42W



IP 20   



Foto 3



OLIMPIA/LG
h.cm 57 diam.35
1xE27 Max 70W 



Foto 4

OLIMPIA/LP
h.cm. 39 diam. 24
1xE27 Max 42W 



Finitura Struttura



Finitura Diffusore



MO Moka



AV Avorio



BO Bianco Opaco



CL Cromo Lux



Young 70 Fuxia



Young 71 Grigio



Young 72 Avorio



Dolly 73 Riga



Galassia 74 Beige

AURA

7



AURA/T
diam. cm. 56 h. cm.172



AURA/LP
h. cm. 40 diam. cm. 24






AURA/S diam. cm. 50 h. max cm. 140 regolabile
3xE27 Max 42W



AURA/T
1xE27 Max 70W



AURA/LP
1xE27 Max 70W



IP 20

Finitura Struttura



MO Moka



AV Avorio



BO Bianco Opaco



CL Cromo Lux

Finitura Diffusore




Young 70 Fuxia



Young 71 Grigio



Young 72 Avorio



Dolly 73 Riga



Galassia 74 Beige

BOLLE



BLL/A50 B0 72 A
h. 11 cm x 12 x 14
1xE27 Max 42W



BLL/A200 M0 810 BA



BLL/LP CR 70G




BLL/LP BO 71R



BLL/LP MO 79M BA

BLL / LP - h. 13 cm x 12 x 12

Finitura Struttura



CR Cromo



BO Bianco Opaco



MO Moka

Cavo con portalampada E27 + Interruttore + Spina Max 42W - CL2



69 N



70 G



71 R



72 A



73 Y



74 V



75 C



76 F



77 B



81 O BA



79 M BA



80 S

HABILLÉ

PER BOLLE



ZUCCA 35
Telaio Zucca
d.34 h.24 nero opaco



MONGOLFIERA 35
Telaio Mongolfiera
d.31 h.36 nero opaco



ABETE 35
Telaio Abete
d.35 h.30 nero opaco




CILINDRO 50
Telaio Cilindro
d.50 h.25 nero opaco

CILINDRO 35
Telaio Cilindro
d.35 h.20 nero opaco



QUADRO 50
Telaio Quadro
d.50 h.50 nero opaco

QUADRO 35
Telaio Quadro
d.35 h.35 nero opaco




IP 20  

KLAQ



KLAQ / LP
largh.18,5 lungh. 6 h.32



IP 20   



KLAQ S75 +
KLAQ / CP 200 69N
Foto 8




KLAQ S120 +
KLAQ / CP 200 69N
Foto 7


KLAQ




KLAQ S 80 +
KLAQ / CP 200 79M BA
Foto 9




KLAQ/S 75
largh. 75
lungh. 30
h. 130 regolabile



KLAQ/S 120
largh. 120
lungh. 40
h. 130 regolabile



KLAQ/S 80
diam. 80
h. 130 regolabile



KLAQ/S 60
diam. 60
h. 130 regolabile

KLAQ/CP 200

Cavo con portalampada E27 - 1x E27 Max42W - CL2



69 N



70 G



71 R



72 A



73 Y



74 V



75 C



76 F



77 B



81 O BA



79 M BA



80 S

Finitura Struttura




MO Moka



NO Nero Opaco



BO Bianco Opaco



SAHARA




FIASCO 20
d.20 h.28
1xE27 Max 52W



CONO 22
d.22 h.20
1xE27 Max 52W




FARO 25
d.25 h.14,5
1xE27 Max 52W



CUPOLA 15
d.15 h.13,5
1xE27 Max 52W



CONO 14
d.14 h.37
1xE27 Max 52W




IP 20





OMBRE

21



Quadri in metallo orientabili



OMBRE / PL
largh. 47
lung. 47
h. 11

Led 4x8,6 W - 4x 1200 LM - 3000K - **A+**
Driver incluso 

SK



SK 32/PL
h. 7 largh.41 lungh. 41

Led 1x1710 LM - 11,3 W - 3000K - **A++**
Driver Dimmerabile Incluso



SK 35 V
h. 16 largh. 32 sp. 9

Led 1x1620 LM - 12,4 W - 3000K - **A+**
Driver Dimmerabile Incluso



BREZZA

23



BREZZA / A40
largh.40 h.28 Sp. 10




BREZZA / AS40
largh.28 h.40 Sp. 10

Led 1x11,8 W - 1100 LM - 3000K -
220-240 V

A+







SK 30/A2
H. 20 Largh.10,5 Sp. 10,5


Led 2x11,8 W - 2x 1100 LM - 3000K - **A+**
220-240 V 



SK 31



SK 31
H. 7,5 Largh.20 Sp. 11,5

Led 2x6,2 W - 2x 810 LM - 3000K - **A+**
Driver Dimmerabile incluso 


SK




SK 33
h. 6,5 largh 21 sp. 7
Led 1x810LM - 6,2w - 3000K - **A+**
driver dimmerabile incluso




SK 34
h. 8 largh. 35,5 sp. 9
Led 1x1620 LM - 12,4 W - 3000K - **A+**
Driver Dimmerabile Incluso





SK 37
h. 5 largh. 62 Sp. 8

Led 1x1280 LM - 10,5 W - 3000K - **A+**
Driver Incluso 



SK 36
h. 5 largh. 40 Sp. 8

Led 1x1200 LM - 8,6 W - 3000K - **A+**
Driver Incluso 

IP 40   

A-LIVE






A-LIVE S50
 Diam. 50 - h. Max cm 140 regolabile

- A • Led 2 x 2450 LM - 45 W - 3000K -  Alimentatore Incluso 
- B • Led 2 x 1630 LM - 29 W - 3000K -  Alimentatore Incluso

Finitura Struttura



CT Corten



IX Inox



TELED



TELED 50
h. 8 largh. 50 sp. 19

Led 1x1200 LM - 8,6 W - 3000K - **A+**
Driver Incluso





TELED 36
h. 8 largh. 36 sp. 19

Led 1x1200 LM - 8,6 W - 3000K - **A+**
Driver Incluso



TELED 29
h. 8 largh. 29 sp. 18

Led 1x1200 LM - 8,6 W - 3000K - **A+**
Driver Incluso



IP 40   

PANDORA





PANDORA/A32
largh. 32 - h. 52 - sp. 14
2xE27 Max 42 W



PANDORA/A23
largh. 23 - h. 30 - sp. 11
1xE27 Max 42 W



PANDORA/A60
largh. 60 - h. 30 - sp. 13
2xE27 Max 42 W



PANDORA/A40
largh. 40 - h. 22 - sp. 13
2xE27 Max 42 W




Finitura Struttura

Finitura Diffusore



BA Bronzo Aria **AA** Avorio antico

21 Pergamena Cipria



FLORA



FLORA/A2

largh. 47 - h. 45 - sp. 14
2xE27 Max 42 W

FLORA DX/A2

largh. 54 - h. 50 - sp. 14
2xE27 Max 42 W



FLORA SX/A2

Finitura Struttura




BO Bianco Opaco

Finitura Diffusore



36 Tulle bianco



SIBILLA




SIBILLA/A1
largh. 12 - h. 24 - sp. 26
1xE14 Max 42 W



SIBILLA/A2
largh. 40 - h. 24 - sp. 23
2xE14 Max 42 W





IP 20   

SIBILLA/L5
diam. 80
h. 115 regolabile
5xE14 Max 42 W



SIBILLA/LP
h. 47
diam. 26
1xE14 Max 42 W



SIBILLA/LG
h. 63
diam. 35
1xE27 Max 52 W





FEBO S.r.l.
Via Pisana, 4/6 - 50021 Barberino Val d'Elsa (Firenze) Italy

Tel. 055 8078425 - Fax Com. 055 8078473
Web: www.febolight.com • e-mail: info@febolight.com

 **MAGAZZINI**
illuminazione 1964

 **IRILUX**
DAL 1962

A.D. Arianna Losi - Foto: Baldassare Amodeo - Lorenzo Borgianni

febo

